Index
VOLUME 8 1981–82

Abdomen, electrical burn of, complicated with intestinal perforation, successful treatment of case of, 128
Abe O.: *see* Aikawa N.
Abstracts, 67, 141, 220, 296, 375, 439
Acidosis, hypercarbia and, associated with carbonic anhydrase inhibition: hazard of topical mafenide acetate use in renal failure, 395
Ahlgren I.: *see* Vernersson E.
Aikawa N., Ishibiki K., Naito C., Abe O., Yamamoto S., Motegi M. and Sudo M.: Individualized fluid resuscitation based on haemodynamic monitoring in the management of extensive burns, 249
Akahane T. and Tsukada S.: Electron-microscopic observation on silver deposition in burn wounds treated with silver sulphadiazine cream, 271
Albumin, transferrin, and total serum protein in burn patients, relationship of bacteremia to levels of, 32
Alexander W.: *see* Ogle C. K.
Alkanols-*n*, water and, mass transfer of, across hairless mouse skin, influence of branding iron temperature on: permeability of thermally damaged skin IV, 86
Allen O. G: *see* Wilson A. N.
Allografts, autografts and, in rabbits, histological studies of intermingled transplantation of, 80
  study on intermingled transplantation of: mixed epidermal cells, fibroblasts and lymphocyte cultures, 75
  skin, histological identification of prolonged survival of, on extensively burned patient, 164
Amerena R.: *see* Pegg S. P.
Amniotic membrane and skin, human, enzymatic chemical modification of, as means for preparation of biological dressing, 207
Andrews J. K.: *see* Buchan I. A.
Anné A.: *see* Glasheen W.
Antia N. H.: *see* Mistry S.
Antibiotic sensitivity, to *Pseuodomonas aeruginosa*, changing patterns of, 151
Aoyama H.: *see* Susuki K.
Aronsen K. F.: *see* Vernersson E.
Arora S.: *see* Mistry S.
Arterial injuries in electrically burned upper limbs, effects of early reconstruction of blood circulation to wrist, 379
Arturson G.: *see* Gang R. K.
Arturson G.: *see* Venge P.
Attinger E. O.: *see* Glasheen W.
Autografts and allografts in rabbits, histological studies of intermingled transplantation of, 80
  study on intermingled transplantation of: mixed epidermal cells, fibroblasts and lymphocyte cultures, 75
Autopsies, 115 consecutive, in burned children, report of: 1968–80, 263
Azzolini A.: *see* Novarini A.

Bacteremia, relationship of, to levels of transferrin albumin and total serum protein in burn patients, 32
Bacteria, opportunistic, serodiagnosis of role of, in cases of burn wound sepsis, 161
Banaszak E.: *see* Waisbren B. S.
Barachini P.: *see* Campa M.
Barberis M. L., Raiteri E., Teich-Alasia S. and De Michelis F.: Measurement of the skin electrolysis by neutron activation, 203
Barrett M.: *see* Behl C. R.
Bartlett R. H.: *see* Thornton J. W.
Batstone G. F.: *see* Coombes E. J.
Beer S.: *see* Vure E.
Behavioural changes in burned adult patients during their stay in hospital, 365
Behl C. R., Flynn F. L., Barrett M., Linn E. E., Higuchi W. I., Ho N. F. H., Pierson C. L.: Permeability of thermally damaged skin IV: influence of branding iron temperature on the mass transfer of water and *n*-alkanols across hairless mouse skin, 86
Behl C. R.: *see* Flynn G. L.
Benedettini G.: *see* Campa M.
Bereni-Marzouk B., Giacalone T., Thieulard L. and Wassermann D.: Behavioural changes in burned adult patients during their stay in hospital, 365

Index
VOLUME 8 1981–82

Abdomen, electrical burn of, complicated with intestinal perforation, successful treatment of case of, 128
Abe O.: *see* Aikawa N.
Abstracts, 67, 141, 220, 296, 375, 439
Acidosis, hypercarbia and, associated with carbonic anhydrase inhibition: hazard of topical mafenide acetate use in renal failure, 395
Ahlgren I.: *see* Vernersson E.
Aikawa N., Ishibiki K., Naito C., Abe O., Yamamoto S., Motegi M. and Sudo M.: Individualized fluid resuscitation based on haemodynamic monitoring in the management of extensive burns, 249
Akahane T. and Tsukada S.: Electron-microscopic observation on silver deposition in burn wounds treated with silver sulphadiazine cream, 271
Albumin, transferrin, and total serum protein in burn patients, relationship of bacteremia to levels of, 32
Alexander W.: *see* Ogle C. K.
Alkanols-*n*, water and, mass transfer of, across hairless mouse skin, influence of branding iron temperature on: permeability of thermally damaged skin IV, 86
Allen O. G: *see* Wilson A. N.
Allografts, autografts and, in rabbits, histological studies of intermingled transplantation of, 80
  study on intermingled transplantation of: mixed epidermal cells, fibroblasts and lymphocyte cultures, 75
  skin, histological identification of prolonged survival of, on extensively burned patient, 164
Amerena R.: *see* Pegg S. P.
Amniotic membrane and skin, human, enzymatic chemical modification of, as means for preparation of biological dressing, 207
Andrews J. K.: *see* Buchan I. A.
Anné A.: *see* Glasheen W.
Antia N. H.: *see* Mistry S.
Antibiotic sensitivity, to *Pseuodomonas aeruginosa*, changing patterns of, 151
Aoyama H.: *see* Susuki K.
Aronsen K. F.: *see* Vernersson E.
Arora S.: *see* Mistry S.
Arterial injuries in electrically burned upper limbs, effects of early reconstruction of blood circulation to wrist, 379
Arturson G.: *see* Gang R. K.
Arturson G.: *see* Venge P.
Attinger E. O.: *see* Glasheen W.
Autografts and allografts in rabbits, histological studies of intermingled transplantation of, 80
  study on intermingled transplantation of: mixed epidermal cells, fibroblasts and lymphocyte cultures, 75
Autopsies, 115 consecutive, in burned children, report of: 1968–80, 263
Azzolini A.: *see* Novarini A.

Bacteremia, relationship of, to levels of transferrin albumin and total serum protein in burn patients, 32
Bacteria, opportunistic, serodiagnosis of role of, in cases of burn wound sepsis, 161
Banaszak E.: *see* Waisbren B. S.
Barachini P.: *see* Campa M.
Barberis M. L., Raiteri E., Teich-Alasia S. and De Michelis F.: Measurement of the skin electrolysis by neutron activation, 203
Barrett M.: *see* Behl C. R.
Bartlett R. H.: *see* Thornton J. W.
Batstone G. F.: *see* Coombes E. J.
Beer S.: *see* Vure E.
Behavioural changes in burned adult patients during their stay in hospital, 365
Behl C. R., Flynn F. L., Barrett M., Linn E. E., Higuchi W. I., Ho N. F. H., Pierson C. L.: Permeability of thermally damaged skin IV: influence of branding iron temperature on the mass transfer of water and *n*-alkanols across hairless mouse skin, 86
Behl C. R.: *see* Flynn G. L.
Benedettini G.: *see* Campa M.
Bereni-Marzouk B., Giacalone T., Thieulard L. and Wassermann D.: Behavioural changes in burned adult patients during their stay in hospital, 365

Beta-hydroxyethyl rutosides (H–R) administered post burn after thermal-injury-induced plasma volume loss in nonresuscitated dog, effects of, 391
Bhaduri R.: Self-inflicted burns, 403
Bingham H. G.: *see* Krischer J. P.
Binns J. H.: *see* Wilson A. N.
Biological dressing, hen-egg membrane as, experience of, 313
Blood cell receptor, sheep red, appearance of, on burn T-lymphocytes after cold incubation in fetal calf serum—possible prognostic test, 238
Bock R.: *see* Kohler G.
Bombay, burns mortality in, 118
Book Reviews, 226, 302
Borghetti A.: *see* Novarini A.
Boyd D. R.: *see* Glasheen W.
Buchan I. A., Andrews J. K. and Lang S. M.: Laboratory investigation of the composition and properties of pig skin wound exudate under Op-Site, 39
Burns Association—Information, 374

Campa M., Benedettini G., De Libero G., Kubin J., Falcone G., Barachini P. and Mian E.: The suppressive activity of T-lymphocytes and serum factors in burned patients, 231
Candidiasis, pulmonary, complicating severe burn treated with miconazole, 290
Carbonic anhydrase inhibition, hypercarbia and acidosis associated with: hazards of topical mafenide acetate use in renal failure, 395
Carnitine, urinary excretion of, in burned patients, 102
Caro D. H. J.: Strategic planning of burn care services and the role of information systems, 227
Cassingham V.: *see* Thornton J. W.
Catecholamines, plasma, in thermal burns, 99
Cederblad G., Larsson J., Nordstrom H. and Schildt B.: Urinary excretion of carnitine in burned patients, 102
Cellular immunity in burns, 168
Cerium salts, *in vitro* inactivation of silver sulphadiazine by addition of, 274
Chabra H. L., Sharma R. G., Saini S. K. and Keswani R. K.: Burns and *Corynebacterium diphtheriae,* 372
Chansoria J. P. N.: *see* Tripathi F. M.
Chemical burn, severe, of respiratory tract, early and late pathological changes of, complicated with acute respiratory failure, 387
Chu C. S., Ouyang B. Y. and Zhang Q.: Early and late pathological changes of severe chemical burn of the respiratory tract complicated with acute respiratory failure, 387
Childhood, practical approach to treatment of burn shock in, 245
Children, burned, report of 115 consecutive autopsies in: 1968–80, 263
Chow Y. Y. N.: *see* Leung P. C.
Clinic, burn, 369
Collentine G.: *see* Waisbren B. A.
Compression suits, conservative treatment, for second- and third-degree burns in children, 180
Coombes E. J. and Batstone G. F.: Urine cortisol levels after burn injury, 333
Copper, zinc and iron, serum levels of, and urinary excretion of zinc after burn injury, studies on, 358
Cortisol levels, urine, after burn injury, 333
Corynebacterium diphtheriae, burns and, 372
Cross infection, treatment of burns by exposure in attempt to reduce, 191
Curti A.: *see* Novarini A.

Davey R. B.: The burn clinic, 369
De Libero G.: *see* Campa M.
De Michelis F.: *see* Barberis M. L.
Dhole T. N.: *see* Sengupta S. R.
Disasters, mass burn, psychology associated with, 64
Dog, nonresuscitated, effects of beta-hydroxyethyl rutosides (H–R) administered post burn after thermal-injury-induced plasma volume loss in, 391
Dressler D.: *see* Nathan P.
Dubey K. P.: *see* Sengupta S. R.

Eckhard K.: *see* Kohler G.
Edlich R. F.: *see* Glasheen W.
Electrical burn, of abdomen complicated with intestinal perforation, successful treatment of case of, 128
Electrical burns, early vascular grafting to prevent upper extremity necrosis after, 303
Electrically burned upper limbs and effects of early reconstruction of blood circulation to wrist, arterial injuries in, 379
Electrolysis, skin, measurement of, by neutron activation, 203
Electrolytes, muscle tissue, in burned patients, 210
Enzymatic chemical modification of human amniotic membrane and skin as means for preparation of biological dressing, 207
Epidemiological analysis of deaths caused by burns in Osaka, Japan 414
Epidermal growth factor in healing of second degree burns: controlled animal study, 156
Eve M. D., Watson J. L. and Moss E.: Pulmonary candidiasis complicating a severe burn treated with miconazole, 290
Excretion, urinary, of carnitine in burned patients, 102
Exposure, treatment of burns by, in attempt to reduce cross infection, 191
Exudate, pig skin wound, under Op-Site, laboratory investigation of composition and properties of, 39

Falcone G.: *see* Campa M.
Flynn G. L., Behl C. R., Linn E., Higuchi W. I., Ho N. F. H. and Pierson C. L.: Permeability of thermally damaged skin V: permeability over the course of maturation of a deep partial-thickness wound, 196

Flynn G. L., Behl C. R., Walters K. A., Gatmaitan O. G., Wittkowsky A., Kurihara T., Ho N. F. H., Higuchi W. I. and Pierson C. L.: Permeability of thermally damaged skin III: influence of scalding temperature on mass transfer of water and *n*-alkanols across hairless mouse skin, 47
Flynn G. L.: *see* Behl C. R.
Ford M.: *see* Galbraith S.
Fujimori R.: *see* Sano S.
Fujita K.: *see* Lilly H. A.

Galbraith S., Ford M. and Griffiths R. W.: Burn appearance and spontaneous healing: a prospective study, 317
Gang R. K., Arturson G. and Hakelius L.: Histological studies of intermingled transplantation of autografts and allografts in rabbits, 80
Gastrin secretion, depressed, in burns, 19
Gatmaitan O. G.: *see* Flynn G. L.
Gazit E.: *see* Barberis M. L.
Giacalone T.: *see* Bereni-Marzouk B.
Glasheen W., Attinger E. O., Anné A., Boyd D. R., Ruffin W., Haynes B., Hiebert J. T. and Edlich R. F.: Epidemiology of minor burn injuries, 423
Glycosaminoglycans in granulation tissue and hypertrophic scars, 27
Grafting, early vascular, to prevent upper extremity necrosis after electrical burns, 303
Granulocytes, neutrophil, locomotion of, from patients with thermal injury. Identification of serum-derived inhibitors, 6
Griffiths R. W.: *see* Galbraith S.
Guha S.: *see* Tripathi F. M.
Guinea-pig, repigmentation after burn injury in, 345
Gursel E.: *see* Wilson A. N.

Haemodynamic monitoring, individualized fluid resuscitation based on, in management of extensive burns, 249
Hakelius L.: *see* Gang R. K.
Hands, burned and traumatized, hexcelite splints and adaptions for, 188
  burned, treatment of, 338
Harrison H. N.: *see* Sowemimo G. O. A.
Haynes B.: *see* Glasheen W.
Hen-egg membrane as biological dressing, experience of, 313
Henrikson R. C. and Turinsky J.: Ultrastructure of the rat soleus muscle following a local scald injury, 21
Heslop J. H.: Heterotopic periarticular ossification in burns, 436
Hess C. A.: *see* Thornton J. W.
Hexcelite splints and adaptions for burned and traumatized hands, 188
Hiebert J. T.: *see* Glasheen W.
Higuchi D.: *see* Takiuchi I.
Higuchi W. I.: *see* Behl C. R.
Higuchi W. I.: *see* Flynn G. L.
Hilton J. G.: Effects of beta-hydroxyethyl rutoside (H–R) administered post burn after thermal-injury-induced plasma volume loss in the nonresuscitated dog, 391
Hirsch F.: *see* Liebman P. R.
Ho N. F. H.: *see* Behl C. R.
Ho N. F. H.: *see* Flynn G. L.
Holder I. A.: *In vitro* inactivation of silver sulphadiazine by the addition of cerium salts, 274
Horowitz A.: *see* Barberis M. L.
Hospital infection from damaged mattress, investigation of, and demonstration of its mechanism, 408
Houškova E.: *see* Moserová J.
Humoral immunity in burns, 172
Hyperbaric oxygen in severe burns, 176
Hypercarbia and acidosis associated with carbonic anhydrase inhibition: hazard of topical mafenide acetate use in renal failure, 395

Immunity, cellular, in burns, 168
  humoral, in burns, 172
Infection in burn patients, 256
Information systems, strategic planning of burn care services and role of, 227
Inhibitors, serum-derived, identification of: locomotion of neutrophil granulocytes from patients with thermal injury, 6
Injuries, minor burn, epidemiology of, 423
Intestinal perforation, successful treatment of case of electrical burn of abdomen complicated with, 128
IP–758, silicone-nylon laminated dressing, for closure of excised or débrided burn wounds, 328
Iron, copper and zinc, serum levels of, and urinary excretion of zinc after burn injury, studies on, 358
Ishibiki K.: *see* Aikawa N.
Itokawa Y.: *see* Sano S.
Izawa Y.: *see* Suzuki K.

Jacobsson S.: *see* Vernersson E.
James W. B.: *see* Newman P.
Jeyapaul J.: *see* Mistry S.
Jha S. S.: Burns mortality in Bombay, 118
Joseph M.: *see* Vure E.

Kennelly M. M.: *see* Liebman P. R.
Keswani R. K., Miglani O. P., Sabherwai U., Sharma H. K., Sharma R. G. and Singh G.: Infection in burn patients, 256
Keswani R. K.: *see* Chabra H. L.
Keswani R. K.: *see* Mitall O. P.
Khanna N. N.: *see* Tripathi F. M.
Kidson A.: *see* Lilly H. A.
Kischer C. W.: *see* Shetlar M. R.
Kloti J. and Pochon J. P.: Conservative treatment using compression suits for second- and third-degree burns in children, 180
Kobayashi H.: *see* Yoshioka T.
Kobayashi M.: *see* Suzuki K.

Kohler G., Bock R., Stritzinger R., Wegener K., Wesch H., Zellner P. R. and Eckhard K.: Respiratory complications following severe burns—a study of pathological findings, 123
Königová R. and Pondělíček I.: Psychology associated with mass burn disasters, 64
Krespin H.: *see* Vure E.
Krischer J. P., Shuster J. J., Bingham H. G. and Melker R.: Testing principles for severity index construction with application to burn injuries, 1
Kubin J.: *see* Campa M.
Kurihara T.: *see* Flynn G. L.

Lang S. M.: *see* Buchan I. A.
Larsson J.: *see* Cederblad G.
Lee J. C. K.: *see* Sowemimo G. O. A.
Letters to the Editor, 72, 147, 302
Leung P. C. and Chow Y. Y. N.: Treatment of burned hands, 338
Li S. M.: *see* Wang X. W.
Li Y. N.: *see* Wang X. W.
Li Y. Y. and Yang C. C.: Mixed epidermal cells, fibroblasts and lymphocyte cultures: a study on intermingled transplantation of autografts and allografts, 75
Liebman P. R., Kennelly M. M. and Hirsch F.: Hypercarbia and acidosis associated with carbonic anhydrase inhibition: a hazard of topical mafenide acetate use in renal failure, 395
Lilly H. A., Kidson A. and Fujita K.: Investigation of hospital infection from a damaged mattress and the demonstration of its mechanism, 408
Linares H. A.: A report of 115 consecutive autopsies in burned children: 1968–80, 263
Linn E.: *see* Behl C. R.
Linn E.: *see also* Flynn G. L.
Liu J. Q.: *see* Wang X. W.
Lysine–vasopressin, effects of, on blood loss and haemodynamics after early excision in burned pigs, 131

MacMillan B. G.: *see* Nathan P.
MacMillan B. G.: *see* Ogle C. K.
Maeda K. and Sasaki Y.: An experience of hen-egg membrane as a biological dressing, 313
Mahler D.: *see* van-Straten O.
Mattress, damaged, investigation of hospital infection from, and demonstration of its mechanism, 408
Melanoma, malignant, arising in old burn scar, 433
Melker R.: *see* Krischer J. P.
Mian E.: *see* Campa M.
Microvasculature of skin subjected to thermal injury, changes in, 321
Miglani O. P.: *see* Keswani R. K.
Minor burn injuries, epidemiology, 423
Mistry N.: *see* Mistry S.
Mistry S., Mistry N., Jeyapaul J., Arora S. and Antia N. H.: Appearance of the sheep red blood cell receptor on burn T-lymphocytes after cold incubation in fetal calf serum—a possible prognostic test, 238
Mitall O. P., Sabharwal U. and Keswani R. K.: Serodiagnosis of the role of opportunistic bacteria in cases of burn wound sepsis, 161
Mitochondrial function, isolation of substance toxic to, from burned skin of rats, 110
Montanari A.: *see* Novarini A.
Moserová J. and Houškova E.: The histology of early necrectomy, 399
Moss E.: *see* Eve M. D.
Motegi M.: *see* Aikawa N.
Mouse skin, hairless, influence of branding iron temperature on mass transfer of water and *n*-alkanols across: permeability of thermally damaged skin IV, 86
Muchardt O.: *see* Steen J.
Muscle, tissue electrolytes in burned subjects, 210
  rat soleus, ultrastructure of, following local scald injury, 21

N-alkanols, water and, influence of scalding temperature on mass transfer of, across hairless mouse skin: permeability of thermally damaged skin III, 47
Naim J.: *see* Sowemimo G. O. A.
Naito C.: *see* Aikawa N.
Nakajima T.: *see* Takiuchi I.
Nanney L. B.: Changes in the microvasculature of skin subjected to thermal injury, 321
Nathan P., Robb E. C., Dressler D. and MacMillan B. G.: A silicone-nylon laminated dressing (IP–758) for closure of excised or débrided burn wounds, 328
Necrectomy, early, histology of, 399
Neutron activation, measurement of skin electrolysis by, 203
Newman P., Pollock M., Reid W. H. and James W. B.: A practical technique for the thermographic estimation of burn depth: a preliminary report, 59
Nordstrom H.: *see* Cederblad G.
Novarini A., Montanari A., Curti A., Azzolini A. and Borghetti A.: Muscle tissue electrolytes in burned subjects, 210

Ogle C. K., Alexander W. and MacMillan B. G.: The relationship of bacteremia to levels of transferrin albumin and total serum protein in burn patients, 32
Ohashi Y.: *see* Yoshioka T.
Op-Site, laboratory investigation of composition and properties of pig skin wound exudate under, 39
Opitz P. G.: *see* Vernersson E.
Osaka, Japan, epidemiological analysis of deaths caused by burns in, 414
Ossification, heterotopic periarticular, in burns, 436
Ouyang B. Y.: *see* Chu C. S.

Oxygen, hyperbaric, in severe burns, 176
Ozawa T.: *see* Suzuki K.

Palmer B.: *see* Vernersson E.
Partial-thickness wound, deep, permeability of thermally damaged skin V. permeability over course of maturation of, 196
Pegg S. P., Amerena R. and Tahir H. Md.: Changing patterns of *Pseudomonas aeruginosa* antibiotic sensitivity, 151
Pery J., Tsur H., Horowitz A. and Gazit E.: Enzymatic chemical modification of human amniotic membrane and skin as a means for the preparation of biological dressing, 207
Pierson C. L.: *see* Behl C. R.
Pierson C. L.: *see also* Flynn G. L.
Pigs, burned, early excision in, effects of lysine-vasopressin on blood loss and haemodynamics after, 131
Planning, strategic, of burn care services and role of information systems, 227
Pochon J. P.: *see* Kloti J.
Pollock M.: *see* Newman P.
Pondělíček I.: *see* Königová R.
Pregnancy, burns during: analysis of 24 cases, 286
Pseudomonas aeruginosa antibiotic sensitivity, changing patterns of, 151
Psychology associated with mass burn disasters, 64

Rabbits, histololgical studies of intermingled transplantation of autografts and allografts in, 80
Raiteri E.: *see* Barberis M. L.
Ramalingaswami V.: Inaugural Address: First Afro-Asian Conference on Burns at Bombay 14 January 1981, 293
Rats, burned skin of, isolation of substance toxic to mitochondrial function from, 110
Recent References, 69, 144, 222, 298, 377, 441
Reid W. H.: *see* Newman P.
Renal failure, hazards of topical mafenide acetate use in, 395
Repigmentation after burn injury in guinea-pig, 345
Respiratory complications following severe burns—study of pathological findings, 123
  failure, acute, early and late pathological changes of severe chemical burn of respiratory tract complicated with, 387
  tract, early and late pathological changes of severe chemical burn of, complicated with acute respiratory failure, 387
Resuscitation, individualized fluid, based on haemodynamic monitoring in management of extensive burns, 249
Reviews
Control of Hospital Infection. A Practical Handbook (Lowbury E. J.), 302
Treatment of Burns (J. S. Cason), 226
Robb E. C.: *see* Nathan P.
Rosenthal S. R.: Burn toxin and its competitin, 215
Ruffin W.: *see* Glasheen W.

Sabharwal U.: *see* Mitall O. P.
Sabherwai U.: *see* Keswani R. K.
Saini S. K.: *see* Chabra H. L.
Sano S., Fujimori R., Takashima M. and Itokawa Y.: Absorption, excretion and tissue distribution of silver sulphadiazine, 278
Sasaki Y.: *see* Maeda K.
Sawada Y.: *see* Yoshioka T.
Scald injury, local, ultrastructure of rat soleus muscle following, 21
Scalding temperature, influence of, on mass transfer of water and *n*-alkanols across hairless mouse skin: permeability of thermally damaged skin III, 47
Scars, hypertrophic, granulation tissue and, glycosaminoglycans in, 27
  old burn, malignant melanoma arising in, 433
Schildt B.: *see* Cederblad G.
Schutz D.: *see* Waisbren B. A.
Second-degree burns, epidermal growth factor in healing of: controlled animal study, 156
Sei Y.: *see* Takiuchi I.
Self-inflicted burns, 403
Sengupta S. R., Sukhtankar A. Y., Dhole T. N. and Dubey K. P.: Humoral immunity in burns, 172
Sengupta S. R.: *see* Sukhtankar A. Y.
Serodiagnosis of role of opportunistic bacteria in cases of burn wound sepsis, 161
Serum, factors, T-lymphocytes and, suppressive activity of, in burned patients, 231
  fetal calf, appearance of sheep red blood cell receptor on burn T-lymphocytes after cold incubation in—possible prognostic test, 238
  levels of iron, copper and zinc and urinary excretion of zinc after burn injury, studies on, 358
  protein, total, transferrin albumin and, relationship of bacteremia to levels of, 32
Severity index construction, testing principles for, with application to burn injuries, 1
Shakespeare P. G.: Studies on the serum levels of iron, copper and zinc and the urinary excretion of zinc after burn injury, 358
Sharma H. K.: *see* Keswani R. K.
Sharma R. G.: *see* Chabra H. L.
Sharma R. G.: *see* Keswani R. K.
Shen-mei L.: *see* Xue-wei W.
Shetlar C. L.: *see* Shetlar M. R.
Shetlar M. R., Shetlar C. L. and Kischer C. W.: Glycosaminoglycans in granulation tissue and hypertrophic scars, 27
Shock, burn, in childhood, practical approach to treatment of, 245
Shulman J.: *see* Vure E.
Shuster J. J.: *see* Krischer J. P.
Silicone-nylon laminated dressing (IP–758) for closure of excised or débrided burn wounds, 328
Silver, deposition, electron-microscopic observation on, in burn wounds treated with silver sulphadiazine cream, 271

Silver, sulphadiazine *in vitro* inactivation of, by addition of cerium salts, 274
sulphadiazine absorption, excretion and tissue distribution of, 278
Singh G.: *see* Keswani R. K.
Sinha J. K.: *see* Tripathi F. M.
Skin subjected to thermal injury, changes in microvasculature of, 321
Sorensen B.: *see* Steen J.
Sowemimo G. O. A., Naim J., Harrison H. N. and Lee J. C. K.: Repigmentation after burn injury in the guinea-pig, 345
Spontaneous healing, burn appearance and: prospective study, 317
Stadil F.: *see* Steen J.
Steen J., Muchardt O., Sorensen B. and Stadil F.: Depressed gastrin secretion in burns, 19
Stern M.: *see* Waisbren B. S.
Sternberg N.: *see* Rosenberg E.
Stilwell J. H.: Malignant melanoma arising in old burn scar, 433
Strange R. E.: *see* Shakespeare P. G.
Stritzinger R.: *see* Kohler G.
Sudo M.: *see* Aikawa N.
Sugimoto H.: *see* Yoshioka T.
Sugimoto T.: *see* Yoshioka T.
Sukhtankar A. Y. and Sengupta S. R.: Cellular immunity in burns, 168
Sukhtankar A. Y.: *see* Sengupta S. R.
Sung Y. H.: *see* Wang X. W.
Suzuki K., Aoyama H., Izawa Y., Kobayashi M. and Ozawa T.: Isolation of a substance toxic to mitochondrial function from the burned skin of rats, 110

T-lymphocytes, burn, appearance of sheep red blood cell receptor on, after cold incubation in fetal calf serum—possible prognostic test, 238
and serum factors, suppressive activity of, in burned patients, 231
Tahir H. Md.: *see* Pegg S. P.
Takashima M.: *see* Sano S.
Takiuchi I., Higuchi D., Sei Y. and Nakajima T.: Histological identification of prolonged survival of a skin allograft on an extensively burned patient, 164
Taunnus A.: *see* Vure E.
Teich-Alasia S.: *see* Barberis M. L.
Thermographic estimation of burn depth, practical technique for: preliminary report, 59
Thieulard L.: *see* Bereni-Marzouk B.
Thornton J. W., Hess C. A., Cassingham V. and Bartlett R. H.: Epidermal growth factor in the healing of second-degree burns: a controlled animal study, 156
Tieder M.: *see* Vure E.
Tissue, granulation, and hypertrophic scars, glycosaminoglycans in, 27
Toxin, burn, and its competitin, 215
Transferrin albumin and total serum protein in burn patients, relationship of bacteremia to levels of, 32
Transplantation, intermingled, of autografts and allografts in rabbits, histological studies of, 80
of autografts and allografts, study on: mixed epidermal cells, fibroblasts and lymphocyte cultures, 75
Tripathi F. M., Guha S., Khanna N. N., Chansoria J. P. N., Sinha J. K. and Udupa K. N.: Plasma catecholamines in thermal burns, 99
Tsukada S.: *see* Akahane T.
Tsur H.: *see* Barberis M. L.
Turinsky J.: *see* Henrikson R. C.

Udupa K. N.: *see* Tripathi F. M.
Urinary excretion of zinc after burn injury, serum levels of iron, copper and zinc and, studies on, 358
Urine cortisol levels after burn injury, 333

van-Straten O. and Mahler D.: Hexcelite splints and adaptions for burned and traumatized hands, 188
Venge P. and Arturson G.: Locomotion of neutrophil granulocytes from patients with thermal injury. Identification of serum-derived inhibitors, 6
Vernersson E., Wetterlin S., Ahlgren I., Opitz P. G., Palmer B., Aronsen K. F. and Jacobsson S.: Effects of lysine–vasopressin on blood loss and haemodynamic after early excision in burned pigs, 131
Vure E., Joseph M., Beer S., Tieder M., Krespin H., Taunnus A. and Shulman J.: A practical approach to the treatment of burn shock in childhood, 245

Waisbren B. A., Schutz D., Collentine G., Banaszak E. and Stern M.: Hyperbaric oxygen in severe burns, 176
Walters K. A.; *see* Flynn G. L.
Wang N. Z.: *see* Wang X. W.
Wang X. W.: Successful treatment of a case of electrical burn of the abdomen complicated with intestinal perforation, 128
Wang X. W., Wei J. N., Sung Y. H., Li Y. N., Wang N. Z., Liu J. Q. and Li S. M.: Early vascular grafting to prevent upper extremity necrosis after electrical burns, 303
Wang X. W. and Zoh W.: Arterial injuries of electrically burned upper limbs and effects of early reconstruction of blood circulation to the wrist, 379
Wang X. W.: *see* Zhang Y. B.
Wassermann D.: *see* Bereni-Marzouk B.
Water and *n*-alkanols across hairless mouse skin, influence of scalding temperature on mass transfer of: permeability of thermally damaged skin III, 47
Water and *n*-alkanols, mass transfer of, across hairless mouse skin, influence of branding iron temperature on: permeability of thermally damaged skin IV, 86
Watson J. L.: *see* Eve M. D.

Wegener K.: *see* Kohler G.
Wei J. N.: *see* Wang X. W.
Wesch H.: *see* Kohler G.
Wetterlin S.: *see* Vernersson E.
Wilson A. N., Allen O. G., Binns J. H. and Gursel E.: Treatment of burns by exposure in an attempt to reduce cross infection, 191
Wittkowsky A.: *see* Flynn G. L.
Wrist, arterial injuries in electrically burned upper limbs and effects of early reconstruction of blood circulation to, 379

Yamamoto S.: *see* Aikawa N.
Yang C. C.: *see* Li Y. Y.
Yoshioka T., Ohashi Y., Sugimoto H., Sawada Y., Kobayashi H. and Sugimoto T.: Epidemiological analysis of deaths caused by burns in Osaka, Japan, 414

Zagher U.: *see* Rosenberg E.
Zellner P R.: *see* Kohler G.
Zhang Q.: *see* Chu C. S.
Zhang Y. B., Zhang Y. J. and Wang X. W.: Burns during pregnancy: analysis of 24 cases, 286
Zhang Y. J.: *see* Zhang Y. B.
Zinc, iron and copper, serum levels of, and urinary excretion of zinc after burn injury, studies on, 358
Zoh W.: *see* Wang X. W.